

Colour		White	Yellow	Red	Black
69795...	Ident. No.	200	203	205	207
		●	●	●	●

Prod. Gr. 6RK



## Dura-Ink 5 deep-hole marker

### Application:

For precise markings on small surfaces.

### Execution:

- With micro tip
- Smudge-proof and waterproof industrial ink for permanent marking
- Xylene-free

### Advantage:

- The extended tip is ideal for marking through openings as well as in hard-to-reach areas.

### Technical data:

- Line thickness: 1 mm
- Material to be processed: Metal | Plastic | Glass | Cardboard | Paper | Wood | Textiles
- Number of pieces per packet: 12



Ident. No. 300



Ident. No. 305

Colour		Black	Red
69795...	Ident. No.	300	305
		●	●

Prod. Gr. 6RK



## Pica-Ink deep-hole marker

Very slim marker for marking hard-to-reach spots

### Application:

For all dry materials

### Execution:

- With self-readjusting and patented telescopic tip made of stainless steel

### Advantage:

- Permanent

- Can be removed using alcohol and spirit
- Can be left open for up to one day without drying out

### Technical data:

- Colour: Black
- Line thickness: 1.5 mm



69794...	Ident. No.	200
		●

Prod. Gr. 650



## Pica Dry deep-hole marker and refills

For marking and writing even on dusty, rough, oily or damp surfaces

### Application:

**Ident. No. 199:** Ideal for fine markings on dry surfaces only.

### Execution:

- **Ident. No. 100:**
  - Marker with all-purpose graphite lead, 2B
  - Integrated sharpener at front of folder
- **Ident. No. 190:** Set of pencil refills, consisting of 4 x graphite lead, 2 x red lead, 2 x yellow lead
- **Ident. No. 199:** Graphite refill leads in special hardness H

### Advantage:

- **Ident. No. 100:**
  - Automatic lead feeder integrated in the stainless steel tube
  - Can be wiped off all smooth surfaces with a cloth
  - Lead is easy to change
- **Ident. No. 190:** Hardness 2B – easily removable from smooth surfaces
- **Ident. No. 199:** Hardness H for precise marking – not easily removable

### Technical data:

- Line thickness: 2.8 mm



Ident. No. 190



Ident. No. 199

		Type	Markers	Replacement leads	
Colour	Number of pieces per packet		69794... Ident. No.	69794... Ident. No.	
Black	1		100	-	-
Colourful	8		-	190	●
Red	10		-	193	●
Yellow	10		-	195	●
Graphite	10		-	197	●
Anthracite	10		-	199	●

Prod. Gr. 650



## BIG Dry Longlife construction marker

### Execution:

- Carpenters' pencil with automatic lead feed at the push of a button
- Equipped with FOR ALL graphite lead, 2B

### Advantage:

- No need to sharpen: just push out more lead
- Can be refilled with different replacement leads for all kinds of applications
- Maximum protection from dust and moisture
- Precise edge guide while drawing



69794...

Ident. No.

170

Prod. Gr. 650



## BIG Dry refill lead set

Refill leads for BIG Dry Longlife construction marker

### Execution:

- Rectangular pencil refills with 2 x 5-mm cross section, 150-mm length
- In practical and robust plastic case

- Pencil refill case with double-winged opening for simple and intuitive handling

### Notes:

Art. 69794186 and -188 for dry surfaces only



Ident. No. 180



Ident. No. 184-186



Ident. No. 188

	Type	BIG Dry refill lead set, FOR ALL, graphite	BIG Dry refill lead set, FOR ALL, red/graphite/white (4 of each colour)	BIG DRY pencil refill set, ANILINE 2.0 (all-weather case)	BIG Dry refill lead set, stonemason 10H	BIG Dry refill lead set, carpenter 2H
Material to be processed	Number of pieces per packet	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.
Universal use	12	180	182	184	-	-
Masonry	12	-	-	-	186	-
Wood	12	-	-	-	-	188

Prod. Gr. 650



## DURA-INK® permanent marker

Universal use

### Application:

For permanent markings on metal, cardboard, plastic, glass, timber/sawn wood, materials and fabrics.

- Impact-resistant barrel and extra-tough tip for long-term use with no loss of precision
- With wear-resistant ink formula for long-lasting markings

### Advantage:

- Clip caps for easy, secure storage of markers

### Technical data:

- Number of pieces per packet: 12



Ident. No. 700-750, 760-805, 815



Ident. No. 755



Ident. No. 810

			Colour	Red	Black	Blue	Green
Type	Shape of tip	Line thickness (mm)	Min./max. line thickness	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.
DURA-INK® 15	Round tip	1.5	-	700	705	710	715
DURA-INK® 55	Chisel tip	-	1.5-4.5 mm	750	755	760	765
DURA-INK® 200	Chisel tip	-	9.5-16 mm	810	815	805	800

Prod. Gr. 6RK



## Paint marker SL.100

For permanent marking on almost all surfaces

### Advantage:

- Xylene-free formula minimises risk to user's health
- Fast-drying paint means work can continue with no downtime
- Bright, UV and weather-resistant paints for highly effective, long-lasting markings

### Notes:

Not for use on dirty, rough or wet surfaces.

### Technical data:

- Line thickness: 3 mm
- Min./max. ambient temperature: -20 to 50 °C
- Number of pieces per packet: 12



Colour	SL.100 White	SL.100 Yellow	SL.100 Red	SL.100 Blue	SL.100 Green	SL.100 Black
	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.
	570	575	580	585	590	595

Prod. Gr. 6RK



## Pro-Line paint marker

For permanent marking on surfaces that are difficult to mark

### Application:

**Ident. No. 500–515:** For applications on oily and greasy surfaces

**Ident. No. 550–565:** For applications at temperatures of up to 982°C

▪ **Ident. No. 550–565:** Outstanding heat resistance

### Advantage:

- Xylene-free formula minimises risk to user's health

### Technical data:

- Line thickness: 3 mm
- Min./max. ambient temperature: -46 to 66 °C
- Number of pieces per packet: 12



Ident. No. 500–515



Ident. No. 550–565

Type	Material to be processed	White	Yellow	Red	Black	Blue
		69794... Ident. No.	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.
PRO-LINE® HP	Steel   Iron   Aluminium   Plastic   Rubber	500	505	510	515	-
PRO-LINE® HT	Metal   Glass   Ceramics	550	555	-	560	565

Prod. Gr. 6RK



## Paint marker Pro-Line Fine

### Application:

For fine line marking

### Advantage:

- Xylene-free formula minimises risk to user's health

### Technical data:

- Line thickness: 1.5 mm
- Material to be processed: Steel | Textiles | Plastic | Glass
- Number of pieces per packet: 12



Ident. No. 105

Colour	White	Yellow	Black	Red	Blue
	69795... Ident. No.	69795... Ident. No.	69795... Ident. No.	69795... Ident. No.	69795... Ident. No.
	100	105	110	115	120

Prod. Gr. 6RK



## SL.130 paint marker

Removable paint marker for temporary marking

### Application:

Chalk-based paint marker easily wiped off any smooth, non-porous surface using water, without leaving traces or residue

### Advantage:

- Ideal for temporarily visible markings
- Medium bullet tip resists wear to give an extremely long service life
- Smooth, continuous marking – valve-actuated tip only releases paint as required

### Notes:

We recommend that you request the safety data sheet with your first order.

### Technical data:

- Line thickness: 3 mm
- Min./max. ambient temperature: 5 to 40 °C
- Material to be processed: Steel | Iron | Rubber | Glass | Artificial stone | Non-ferrous metal



Colour	Green	Pink	Orange
	69794... Ident. No.	69794... Ident. No.	69794... Ident. No.
	650	655	660

Prod. Gr. 6RK



## Trades markers set 13 pieces

### Mechanical universal marker (refillable)

#### Application:

Refillable markers for weather-resistant marking on all surfaces; for example smooth, rough, rusty or dirty surfaces.

#### Execution:

- Abrasion-resistant
- Weather- and UV-resistant

#### Advantage:

- TRADES-MARKER® offer the versatile marking properties of a wax pen with paper sleeve,

combined with a simple push-button mechanism for saving costs and resources

- Owing to the push mechanism, easy to use with just one hand

#### Delivery:

1 holder, 12 refills

#### Technical data:

- Line thickness: 3 mm
- Material to be processed: Steel | Iron | Metal | Stone | Tiling | Ceramics | Wood | Textiles | Glass | Plastic



Ident. No. 400-405



Ident. No. 415

Colour		White	Yellow	Red	Black
69795...	Ident. No.	400	405	410	415
		●	●	●	●

Prod. Gr. 6RK



## B® Paintstik® permanent paint sticks

### For marking rough, rusty, smooth and dirty surfaces

#### Advantage:

- Weather- and UV-resistant

#### Technical data:

- Line thickness: 17 mm

- Min./max. ambient temperature: -46 to 66 °C
- Material to be processed: Concrete | Iron | Rubber | Wood | Plastic | Glass | Stone | Steel
- Number of pieces per packet: 12



Colour		White	Yellow
69794...	Ident. No.	600	605
		●	●

Prod. Gr. 6RK

